

**From:** [Porter, Henry](#)  
**To:** [Rollins, Rhonda](#); [Rippy, Crystal](#); [Blalock, Juli](#); [Marcus, Mike](#); [Shawn Clarke](#); [Amick, Byron](#); [Koon, Justin](#); [Koon, Joe](#); [Watts, Sheila G.](#)  
**Cc:** [Anderson, Meredith](#); [Rodgers-Smith, Delores](#); [Huggins, Richard](#); [Hillyer, Kirsten](#); [Behan, Frank](#); [Anderson, Lydia](#); [Simonson, Davy](#); [McMillan, Laura](#); [Adams, Kelly](#)  
**Subject:** Re: CCR 103 Demonstration - Williams facility, South Carolina  
**Date:** Wednesday, December 2, 2020 12:57:12 PM

---

Rhonda,

I hope you had a nice Thanksgiving too.

Thanks for sharing this information on EPA's process for the 103 Demonstrations and the heads up on the pending draft decision for the Williams Station. Our staff will review the draft determination when it is public noticed and based on that review we may provide comments.

Henry Porter

---

On: 02 December 2020 11:22, "Rollins, Rhonda" <[Rollins.Rhonda@epa.gov](mailto:Rollins.Rhonda@epa.gov)> wrote:

\*\*\* Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. \*\*\*

Dear Henry Porter,

Good morning. I am the acting section chief during Dee Rodgers-Smith's current detail to another branch. I hope you had a wonderful Thanksgiving holiday and I look forward to working with you over the next few months. I wanted to keep you apprised of the CCR 103 (Part A) demonstrations as they relate to South Carolina.

As you may know, on July 29, 2020, the Administrator signed a final rule revision of the CCR regulations. Among other things, the final rule establishes new alternative closure provisions at Sections 257.103(f)(1) and (f)(2) for a facility that cannot cease receipt of waste by April 11, 2021. On August 28, 2020, the final rule was published in the *Federal Register* (85 FR 53516).

On November 30, 2020, EPA Headquarters received a demonstration from Dominion Energy's Williams Station for the use of 257.103(f)(1) for the FGD pond. EPA is currently evaluating the demonstration for completeness. Once EPA completes this review, the facility will be notified that their demonstration is either complete or incomplete.

If the demonstration is found to be incomplete, the facility will receive a letter/email describing the deficiencies of the demonstration.

If the demonstration is found to be complete, the deadline to cease receipt of waste will be tolled until EPA reaches a final decision on the demonstration. EPA will propose a decision on the demonstration and will provide a 15 to 30-day public comment period. EPA encourages the State to review the demonstration and provide comments during this time. After EPA addresses any significant comments, EPA will issue a final determination.

EPA is maintaining a table of all submitted demonstrations and the current review status of the demonstrations at <https://www.epa.gov/coalash/ccr-part-implementation>.

If you have any questions or concerns, please contact me, Davy Simonson at 202-510-0392 [Simonson.davy@epa.gov](mailto:Simonson.davy@epa.gov); or Kelly Adams at 404-562-8431, [adams.kelly@epa.gov](mailto:adams.kelly@epa.gov).

Sincerely,

Rhonda J. Rollins

Rhonda Rollins

Acting Chief, RCRA Programs & Permitting

US Environmental Protection Agency

Land, Chemicals and Redevelopment Division

61 Forsyth St, SW, Atlanta, GA 30303

404-562-8664 (wk); 678-953-1371 ( c)

[Rollins.rhonda@epa.gov](mailto:Rollins.rhonda@epa.gov)

Hours: Mon.-Thurs. 6:30-5:00pm ET